



Protective equipment

Ottobock offers protective equipment for products that are hazardous pursuant to the Ordinance on Hazardous Substances. This includes products to protect the hands, face, eyes, respiratory tract and other parts of the body. See our safety data sheets for the required information about protective equipment suitable for the product.

Products for first aid treatment in case of accidents are offered as well.



Visit www.pem.ottobock.com to obtain up-to-date product information at any time.

Protective equipment



Heat protection gloves

Reference number 641H13

- For use with plastics
- With cuff
- Cotton jersey
- Roughened on the inside
- Loosely woven
- Good fit
- Breathable
- Flame retardant impregnation

Technical data

Article number	Length	Weight	Colour	Order unit
641H13	240 mm	0.110 kg	Sand/beige	Pair



Heat protection gloves

Reference number 641H3

- For use with plastics
- With cuff
- Cotton terrycloth
- Good fit
- Flame retardant impregnation

Technical data

Article number	Length	Weight	Colour	Order unit
641H3	280 mm	0.17 kg	Raw white	Pair



Mechanical protection gloves

Reference number 641H15

- Alternative to leather glove
- With canvas cuff
- Protects against oil, grease and moisture
- Nitrile-coated fabric with cotton jersey
- Good grip
- High mechanical load capacity
- Excellent fit
- High wearer comfort
- Elastic strap on back of hand

Technical data

Article number	Size	Colour	Order unit
641H15=9	9	Grey/brown	Pair
641H15=10	10	Grey/brown	Pair

Protective equipment



Protective gloves

Reference number 756Y8

- Protective glove for welding work
- Chrome split leather
- With long cuffs
- Robust and soft

Technical data

Article number	Length	Weight	Order unit
756Y8	350 mm	0.18 kg	Pair



Cut-resistant protective gloves

Reference number 641H14

- Against cuts
- With cuff
- Very good protection against cuts
- Good fit
- Good grip
- Protection against moisture
- Breathable

Technical data

Article number	Size	Colour	Order unit
641H14=7	7	Grey	Pair
641H14=8	8	Grey	Pair
641H14=9	9	Grey	Pair
641H14=10	10	Grey	Pair



Disposable gloves

Reference number 641H1

- For single use
- PVC

Technical data

Article number	Weight	Order unit
641H1	0.338 kg	Pair

Protective equipment



Latex glove for plastering work

Reference number 641H12

- For plastering work
- Powder-free
- One size fits all
- Highly elastic
- High touch sensitivity and secure grip
- Not sterile

Technical data

Article number	Size	Order unit	Package contents
641H12	7 ½	Package	100 pieces



Latex-free examination glove

Reference number 641H9

- Wide range of applications
- 100% nitrile
- Latex-free
- Powder-free
- One size fits all
- Highly elastic
- High touch sensitivity and secure grip
- Not sterile

Technical data

Article number	Size	Colour	Order unit	Package contents
641H9=2	8	Blue	Package	100 pieces
641H9=3	9	Blue	Package	100 pieces

Information material	
646A174=GB	Prepreg technology product information



Chemical protection glove

Reference number 641H17

- Against numerous chemicals
- Nitrile-coated fabric
- Excellent fit permits working for long periods without fatigue
- Good grip thanks to roughened fingertips, even with wet components

Technical data

Article number	Size	Colour	Order unit	Package contents
641H17=7	7	Blue	Package	100 pieces
641H17=8	8	Blue	Package	100 pieces
641H17=9	9	Blue	Package	100 pieces
641H17=10	10	Blue	Package	100 pieces
641H17=11	11	Blue	Package	100 pieces

Protective equipment



Chemical protection gloves

Reference number 641H16

- Against numerous chemicals
- Nitrile-coated fabric
- Flexible in order to adapt to the hand
- Thanks to the length of 300 mm, a large part of the forearm is protected against contact with chemicals
- Reduced perspiration through light velour

Technical data

Article number	Size	Colour	Order unit
641H16=8	8	Green	Pair
641H16=9	9	Green	Pair
641H16=10	10	Green	Pair



Chemical protection gloves

Reference number 641H18

- Against numerous chemicals
- Butyl rubber
- Lightly powdered on the inside to make putting on and taking off easier
- Very high impermeability to gas
- High resistance to chemicals

Technical data

Article number	Size	Colour	Order unit
641H18=8	8	Black	Pair
641H18=9	9	Black	Pair
641H18=10	10	Black	Pair



Protective goggles

Reference number 756Y6

- Protects the eyes against harmful influences such as chemicals, dust and splinters
- Adjustable earpieces

Technical data

Article image	Article number	Version
	756Y6=1	Plastic lenses, colourless
	756Y6=2	Grey polycarbonate lenses, for welding work (protection level: 5)

Protective equipment



Protective goggles

Reference number 756Y64

- Protects the eyes against harmful influences such as chemicals, dust and splinters
- 100% UV protection
- One-piece lens with side guard and eyebrow protection
- Individually adjustable lens angle and earpiece length
- DX coating = antifog, antistatic, scratch-proof

Technical data

Article number	Version
756Y64=1	Colourless acrylic glass




Face guard

Reference number 756Y15

- Protects the face against harmful influences such as dust and splinters
- Plastic
- With non-fogging 1 mm thick plastic lens, 540 x 195 mm
- A twist fastener allows for adjustment to different head sizes

Technical data

Article number	Weight
756Y15	0,25 kg



Replacement screen for face guard

Reference number 756Y16

- Non-fogging, 1 mm thick, 540 x 195 mm plastic lens

Technical data

Article number	Spare part for	Weight
756Y16	756Y15	0.125 kg

- Please order separately as required.

Protective equipment



Electric welder safety shield

Reference number 756Y7

- Protects the eyes and face during arc welding
- Synthetic fibres
- Athermal glass (protection class: 9A DIN) and colourless front glass (replaceable)
- With handle

Technical data

Article number	Weight
756Y7	0.39 kg



Hearing protection

Reference number 756Y17

- Earmuffs for loud environments
- Excellent insulating properties
- Wide, soft padded liners
- Perfect adaptation to the shape of the head
- Variably adjustable

Technical data

Article number	Weight	Colour
756Y17	0.21 kg	Green

Protective equipment



Disposable particle filter masks

Reference number 756Y22

- For dusty work in industry and trades
- Protection against solid and damp particles
- Protection levels and certifications compliant with EN 149:2001
- Synsafe material for minimum breathing resistance and maximum filter performance
- Lightweight and user-friendly
- Exhalation valve for longer periods of use and increased breathing comfort
- High intake capacity
- High wearer comfort
- Hygienic, individual packaging, thus providing protection against contamination and ensuring availability of clean respiratory protection at all times
- Folded design allows for easy carrying in pockets

Technical data

Article number	Pollutant class	Valves	Weight	Colour
756Y22=1	FFP1(1)	without valve (-)	12 g	Dark blue
756Y22=1V	FFP1(1)	with valvel (V)	18 g	Dark blue
756Y22=2	FFP2 (2)	without valve (-)	22 g	Light blue
756Y22=2V	FFP2 (2)	with valvel (V)	28 g	Light blue
756Y22=3V	FFP3 (3)	with valvel (V)	28 g	White

Practical recommendation 756Y22

Application			
FFP1:	Up to four times the limit value	Against solid and liquid particles	Milling, grinding, sawing, sweeping floors
FFP2:	Up to 10 times the limit value	Against solid and liquid particles	Woodworking with oak, welding, spraying emulsions with low vapour pressure, coating work, processing carbon fibre and fibreglass materials (e.g. cutting)
FFP3:	Up to 30 times the limit value	Against solid and liquid particles	Spraying varnishes, sanding cured carbon fibre and fibreglass materials

FFP = filtering face piece



Respiratory protection half-mask

Reference number 756Y80

- As breathing protection
- For use with particle filters or gas filters and combination filters with a round thread Rd 91
- Does not include filter
- Good fit
- Impermeability of a full mask
- Material of the mask body is comfortable to wear
- Easy to put on and take off thanks to head piece with anti-slip harness
- Doesn't exert pressure when worn under a safety helmet
- Tested in compliance with EN 140, with CE marking

Technical data

Article number	Size	Weight (without filter)
756Y80	Medium/large	0.19 kg



Coarse dust filter


Reference number 756Z5

- Pre-filter for filters with Rd 91 thread

Technical data

Article number	Accessory for	Weight	Order unit	Package contents
756Z5	756Y80	0,15 kg	Package	50 pieces

- Please order separately as required.



Combination filter

Reference number 756Z4

- Screw filter with Rd 91 thread for 756Y80 respiratory protection half-mask
- Particle filter class A1-P2: A = organic gases, 1 = low retention characteristics, P = particles, 2 = medium retention characteristics
- Tested in compliance with EN 141, with CE marking

Technical data

Article number	Accessory for	Weight	Order unit	Package contents
756Z4	756Y80	0,55 kg	Package	5 pieces

- Please order separately as required.



Carrying case

Reference number 754T3

- Used to securely store the 756Y80 respiratory protection half-mask
- Sturdy design, with shoulder strap

Technical data

Article number	Accessory for	Weight
754T3	756Y80	0,38 kg

- Please order separately as required.

Protective equipment



Plastering apron

Reference number 641S1

- For plastering work
- With fabric reinforcement
- Resistant to many acids

Technical data

Article number	Length	Width	Weight	Colour
641S1	100 cm	80 cm	0.75 kg	White



Disposable aprons

Reference number 641S5

- For single use
- Environmentally friendly
- Ultra-light yet extremely strong
- Wrought
- Impermeable to moisture
- Hygienic

Technical data

Article number	Length	Width	Order unit	Package contents
641S5	140 cm	80 cm	Package	100 piece(s)



Protective smock

Reference number 641S6

- For protection, ideal for decanting and filling tasks
- Protects against particles and splashed liquids
- TYVEK-PRACTIK material
- 5 snap fasteners, 2 pockets
- Custom sizes available
- Low-lint
- Ultra light
- High tear and abrasion resistance
- Antistatic
- Breathable

Technical data

Article number	Size	Colour
641S6=M	M	White
641S6=L	L	White
641S6=XL	XL	White
641S6=XXL	XXL	White



Welder's apron

Reference number 756Y14

- Offers protection during welding
- Chrome split leather
- Two adjustable straps

Technical data

Article number	Length	Width	Weight
756Y14	100 cm	80 cm	1.2 kg



Boot cover

Reference number 641S7

- For protecting shoes/boots
- Heavy PE film
- With rectangular pattern
- Elastic strap
- Ankle tie
- Reinforced outsole

Technical data

Article number	Height	Thickness	Order unit
641S7	56 cm	150 µm	Pair



Hand disinfectant

Reference number 640Z19

- For hygienic and surgical hand disinfection and for rubbing in
- Comprehensive effectiveness against bacteria, fungi and enveloped viruses
- Also effective against adenovirus, papovavirus and rotavirus
- Excellent immediate effect
- Moisturising
- Very well tolerated even with continuous use
- Ready to use – no wash basin and water required



Technical data

Article number	Net contents
640Z19	500 ml

Protective equipment



Information material	
646D708=EN	758E1 room disinfection unit product information

Room disinfectant

Reference number 640Z40

- For combination with the 758E1 room disinfection unit
- For the elimination of bacteria, viruses and fungi
- 3% hydrogen peroxide with silver complex
- Good material compatibility, including sensitive electronics
- Cleans without residues

Technical data

Article number	Accessory for	Contents
640Z40	758E1	5 l



Washing lotion

Reference number 640F23

- For thorough and gentle hand and body hygiene
- Advanced, skin-friendly surfactants
- pH of approximately 5.5, ideal for skin
- Free of soap and alkali
- Free of perfume and colorants
- Fast and drip-free dispensing right from the bottle

Technical data

Article number	Net contents
640F23	500 ml



Cellona® skin protection cream

Reference number 640Z10

- Protection and care cream for use during plastering work
- Easy dosing
- Penetrates quickly
- The skin is covered by a permeable protective care film
- Ideal for highly stressed skin

Technical data

Article number	Net contents	Order unit
640Z10	0.1 l	Tube

Cellona® is a registered trademark of Lohmann.



Skin protection 1-2-3 plus

Reference number 640Z18

- Care cream and skin protection before and after work
- Effective protection against water-soluble and oil-soluble foreign substances as well as changing agents
- Blocks potential allergens
- Boosts the skin's natural protective functions
- Improves the condition of the skin
- Effective skin care

Technical data

Article number	Net contents
640Z18=0.1	1 l



Bandages

Reference number 627B18

- 627B18=1: For dressing injuries and wounds on the fingers
- Made of lengthwise and crosswise elastic textile fabric
- Ready to use blanks for immediate application
- Time-saving and hygienic
- Good permanent adhesion
- Secure and firm hold, even under severe strain
- Air permeable
- 627B18=2: For dressing injuries and wounds
- Hygienic box for partial removal
- Reliable adhesion
- Wound pad designed not to stick to the wound
- Perforations for wound aeration

Technical data

Article image	Article number	Description	Length	Width	Order unit	Package contents
	627B18=1	Finger bandage	120 mm	20 mm	Package	100 piece(s)
	627B18=2	Quick wound dressing	5 m	80 mm	Package	1 piece(s)

Protective equipment



First-aid kit

Reference number 758X5

- For operations and shelters in compliance with Section 39
- DIN 13157 C
- With wall mount

Technical data

Article number	Width	Depth	Height	Weight
758X5	260 mm	160 mm	80 mm	1.8 kg



Eyewash station

Reference number 758X11

- As a first-aid station for flushing eyes to remove foreign substances such as dust and chemicals
- Stationary wall cabinet made of sheet steel
- With special holder for two eye flushing bottles
- Always at hand and ready for use

Technical data

Article number	Length	Width	Depth	Weight	Scope of delivery	Colour
758X11	350 mm	260 mm	100 mm	2.3 kg	Without eyewash bottles	9016 Traffic white



Eyewash bottle set

Reference number 758Y100

- In case of danger to eyesight due to harmful substances
- Two eye flushing bottles
- Filled with 1,000 ml sterile, physiological, isotonic saline solution (0.9%)
- In accordance with DIN 12930, CE 0562
- Flushes foreign substances from the eye
- Can be used for approx. three years in an unopened condition

Technical data

Article number	Accessory for	Diameter	Height	Weight
758Y100	758X11	80 mm	305 mm	2.3 kg

• Please order separately as required.